


Indoor Multi-Purpose Distribution Optical Cable

GJFJV-I




Applications:

- Multi optical fiber jumper
- Indoor any purpose cable distribution

Description:

Multi-purpose distribution cable use several 900um flame-retardant tight buffer fiber as optical communication medium, the tight buffer fiber wrapped with a layer of aramid yarn as strength member units, and the cable is completed with a PVC or LSZH(Low smoke, Zero halogen, Flame-retardant) jacket

Cable Structure



Featured Products

Technical Parameters

| Cable Code | Fiber Count | Cable Size (mm) | Cable Weight (kg/km) | Tensile (N) | | Crush (N/100mm) | | Crush Resistance (mm) | | Range of Temperature (°C) |
|--|-------------|-----------------|----------------------|-------------|------------|-----------------|------------|-----------------------|--------|---------------------------|
| | | | | Long Term | Short Term | Long Term | Short Term | Dynamic | Static | |
| TP-MPC04 | 4 | 4.8 | 17 | 200 | 550 | 200 | 1000 | 20D | 10D | -20~+60 |
| TP-MPC06 | 6 | 5.2 | 21 | 200 | 550 | 200 | 1000 | 20D | 10D | |
| TP-MPC08 | 8 | 5.5 | 28 | 200 | 550 | 200 | 1000 | 20D | 10D | |
| TP-MPC12 | 12 | 6.2 | 36 | 300 | 650 | 200 | 1000 | 20D | 10D | |
| TP-MPC24 | 24 | 8.5 | 59 | 400 | 750 | 200 | 1000 | 20D | 10D | |
| TP-MPC48 | 48 | 11.8 | 125 | 500 | 850 | 200 | 1000 | 20D | 10D | |
| TP-MPC72 | 72 | 14.5 | 150 | 600 | 800 | 200 | 1000 | 20D | 10D | |
| TP-MPC96 | 96 | 16.0 | 185 | 800 | 1000 | 200 | 1000 | 20D | 10D | |
| Fiber Type | G652D | 50/125 | 62.5/125 | G657A1 | G657A2 | OM3-150 | OM3-300 | OM4 | | |
| Jacket Material | PVC | | LSZH | | | TPU | | | | |
| ◆ single-mode fiber optic cable sheath color: yellow | | | | | | | | | | |
| ◆ Multimode fiber optic cable sheath colour: Orange | | | | | | | | | | |
| ◆ Other contracted color | | | | | | | | | | |